

## AGT Thermal

WET REPEL



### PERFORMANCE STANDARDS



### CERTIFICATION



### FEATURES

- ▶ Nylon spandex liner enhances user flexibility and comfort
- ▶ Force360's AGT Wet coating combines industry leading wet, dry and oil grip with a three quarter water resistant coating to ensure the hands stay dry
- ▶ 360° liquid barrier layer to keeps hands dry
- ▶ Breathable brushed terry lining is used to keep hands warm from extreme cold
- ▶ Perfect form, fit and comfort is achieved through Force360's unique knit pattern that mimics a 'hand at rest', minimizing hand fatigue
- ▶ UPF50+ offering maximum sun protection
- ▶ The Actifresh Sanitized treatment neutralizes odour creating bacteria ensuring the gloves are kept fresher for longer

### INDUSTRIES

- ▶ Agriculture
- ▶ Construction
- ▶ Fisheries
- ▶ Logistics & warehousing
- ▶ Mining
- ▶ Refrigerated warehousing
- ▶ Snowfields

### SPECIFICATIONS

<b>PART NO.</b>	GFPR114
<b>LINER</b>	Nylon Spandex with brushed acrylic thermal inner lining
<b>COATING</b>	AGT Wet

### SIZING & FIT

**AVAILABLE SIZES**  
S/7, M/8, L/9, XL/10, 2XL/11

**DEXTERITY LEVEL**  
Maximum Dexterity Level 5  
*Certified under AS/NZS 2161.2*

### PACKAGING

1 pair per hang cell  
6 pairs per inner pack  
72 pairs per carton

### REACH COMPLIANCE

**Required Safe pH Level**  
*Certified under AS/NZS 2161.2*

**AZO Dye and Irritant Chemical Free**  
*Certified under AS/NZS 2161.2*

### SUN PROTECTION

**UPF50+ Sun Protection**  
Pass under AS/NZS 4399 Sun Protective Clothing.  
*Tested by Australian Radiation Protection And Nuclear Safety Agency (ARPANSA).*

### GLOVE CARE

Machine Wash <40°C  
Cold Water Rinse  
Dryer <60°C

## KEY TECHNOLOGIES



### ACTIVE GRIP TECHNOLOGY - WET

Force360's Active Grip Technology (AGT) is a proprietary glove coating formula that provides industry leading wet, dry and oil grip. A secondary water resistant 3/4 coating is added underneath the AGT to ensure hands stay dry, making them ideal in wet environments and applications.



### ACTIFRESH

The Actifresh Sanitized treatment neutralizes odour creating bacteria. Gloves are kept fresher for longer. Actifresh resists UV degradation and maximizes product longevity.



### THERMAL LINED

Breathable brushed terry lining is used to keep hands warm from extreme cold.



### HAND AT REST

Perfect form, fit and comfort is achieved through Force360's unique knit pattern that mimics a 'hand at rest', minimizing hand fatigue.



### WINDSHIELD

Windshield protection ensures the hand stays warm and no heat is lost through conduction in low temperature environments

## WHY CERTIFY A GLOVES MECHANICAL SCORES?

Unknown to most people, gloves in Australia are almost always sold as compliant to European Standards. They will show a European Standards mark and mechanical score for example -'EN388 4542X'. They may state in their literature 'Compliant to European Standards' or 'meets European Standards'.

### This is NOT the same as being certified to European Standards.

Compliant gloves can be simply marked with a particular cut level score of 5 or F for example; and the wearer must accept this claim. No further proof or validation from the glove manufacturer is required. For Force360 this is not acceptable. Hand injuries are commonplace and simply making compliance claims is just not enough to guarantee a glove's mechanical score, or it's protection level.

Asking a trusted and independent notifying body to certify the mechanical scores, guarantees that the scores are accurate and performance will meet this certification.

Force360 has entrusted **SAI Global**, the worlds' leading Standards Certifier to ensure that all mechanical scores are validated. This certification process ensures manufacturing processes and facilities, test certificates, and the product itself are audited & scrutinized so that all claims are accurate. The notifying body in affect becomes a gatekeeper of hand protection for the wearer.

### Force360's entire hand protection range is certified by SAI Global to the latest European and Australian Standards.

Certified products must show a license number issued by the notifying body in addition to the EN388 mechanical scores.



**NB2056**  
CEC40300



**Australian Standard**  
AS/NZS  
2161.2:2005  
2161.3:2005  
Lic.SMK40375